THE SOUTHWESTERN NATURALIST 43(4):518–530 DECEMBER 1998

INDEX TO VOLUME 43

Troy L. Best

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abeloe, Tiffany N., see Hardy, Paul C., —
Abies
concolor, 243, 266
lasiocarpa, 204, 205, 208, 209–212
Abundance and habitat associations of common poorwills in the Sonoran Desert, Paul C. Hardy, Tiffany N. Abeloe, Robert X. Barry, and Michael L. Morrison, 234–241
Abundance and seasonal variation of western sandpipers (*Calidris mauri*) in Baja California Sur, Mexico, Guillermo Fernández, Roberto Carmona, and Horacio de la Cueva, 57–61
Abutilon hypoleucum, 276
Acacia, 335
berlandieri, 42, 195–203
constricta, 29, 38
cornigera, 276
farnesiana, 42–44, 276, 277
greggi, 450
greggii, 200, 234, 267, 426, 450
neovernicosa, 54
rigidula, 42–44, 195–203, 276, 277
schaffneri, 42–44
smallii, 199
subangulata, 39
Acanthaceae, 74, 276
Acanthocyclops, 256
brevispinosus, 257
exilis, 258, 261
robustus, 257, 258, 261
smithae, 258, 261
vernalis, 257, 258, 261
Acer glabrum, 243
Achatocarpus nigricans, 276
Achillea lanulosa, 210
Achras zapota, 229
Aconitum columbianum, 214
Acris crepitans, 8
Acrolophitus variegatus, 296–298
Aculeate wasps in Texas and adjacent states (Hymenoptera: Sphecidae, Pompilidae, Mutillidae), new distribution records of, Allan W. Hook, 249–255
Agave, 27
lecheguilla, 197, 200
striata, 39
Agelaius phoeniceus, 456
Ageniella
arizonica, 253
cupida, 253
faceta, 253
Aghistrodon
contortrix, 11, 499–500
piscivorus, 13, 14, 16, 17, 19
Aglaodiaptomus clavipes, 258, 261
Agosia chrysogaster, 81
Aguirre, Alonso, see Treviño-Villarreal, Julián, —
Allenrolfea occidentalis, 426
Alnus
incana, 208, 214
sinuata, 213
Alopecia associated with postjuvenile molt in a wild population of *Peromyscus maniculatus*, John A. Sinclair, Robert L. Lochmiller, Charles W. Qualls, Jr., and Connie C. Cummings, 405–407
Alopex lagopus, 476
Aloysia gratissima, 197, 200, 275–277
Altriplex
canescens, 408
confertifolia, 408
Amazilia
candida, 231
tzacatl, 231
Amblema plicata, 321–332
Amblycercus holosericeus, 232
Ambrosia
confertifolia, 408
dumosa, 48, 234, 391, 408
Ambystoma
texanum, 7
tigrinum, 7
Ambystomatidae, 7
Ameiridae, 259
Ameiurus melas, 119
Ammodramus savannarum, 456
Ammotragus lervia, 163
Amphibia, 88–91
Amphibolorus, 391
Amphispiza bilineata, 158
Amsinckia tessellata, 48
Amyris
madrensis, 42, 43, 276, 277
texana, 42, 276, 277
Anas
acuta, 219, 221
americana, 222
clypeata, 222
crecca, 222
cyanoptera, 221
discors, 222
platyrhynchos, 221
strepera, 221
Ancylostoma, 477
Andelt, William F., and Thomas D. I. Beck, Effect of black-footed ferret odors on behavior and reproduction of prairie dogs, 344–351
Anguidae, 9
Anguilla rostrata, 341
Anhinga anhinga, 497
Anodonta, 329
Ansley, R. J., see Kramp, B. A., —
Anticlea elegans, 210
Antilocapra americana, 156, 163–169, 415
Antrozous pallidus, 54
Aphelocoma
californica, 170
coerulescens, 456
Aplodontia rufa, 345
Apocyclops panamensis, 258
Aporosaura anchietae, 391
Aquila chrysaetos, 345
Araceae, 74

THE SOUTHWESTERN NATURALIST 43(4):518–530 DECEMBER 1998

INDEX TO VOLUME 43

Troy L. Best

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abeloe, Tiffany N., see Hardy, Paul C., —
Abies
concolor, 243, 266
lasiocarpa, 204, 205, 208, 209–212
Abundance and habitat associations of common poorwills in the Sonoran Desert, Paul C. Hardy, Tiffany N. Abeloe, Robert X. Barry, and Michael L. Morrison, 234–241
Abundance and seasonal variation of western sandpipers (*Calidris mauri*) in Baja California Sur, Mexico, Guillermo Fernández, Roberto Carmona, and Horacio de la Cueva, 57–61
Abutilon hypoleucum, 276
Acacia, 335
berlandieri, 42, 195–203
constricta, 29, 38
cornigera, 276
farnesiana, 42–44, 276, 277
greggi, 450
greggii, 200, 234, 267, 426, 450
neovernicosa, 54
rigidula, 42–44, 195–203, 276, 277
schaffneri, 42–44
smallii, 199
subangulata, 39
Acanthaceae, 74, 276
Acanthocyclops, 256
brevispinosus, 257
exilis, 258, 261
robustus, 257, 258, 261
smithae, 258, 261
vernalis, 257, 258, 261
Acer glabrum, 243
Achatocarpus nigricans, 276
Achillea lanulosa, 210
Achras zapota, 229
Aconitum columbianum, 214
Acris crepitans, 8
Acrolophitus variegatus, 296–298
Aculeate wasps in Texas and adjacent states (Hymenoptera: Sphecidae, Pompilidae, Mutillidae), new distribution records of, Allan W. Hook, 249–255
Agave, 27
lecheguilla, 197, 200
striata, 39
Agelaius phoeniceus, 456
Ageniella
arizonica, 253
cupida, 253
faceta, 253
Aghistrodon
contortrix, 11, 499–500
piscivorus, 13, 14, 16, 17, 19
Aglaodiaptomus clavipes, 258, 261
Agosia chrysogaster, 81
Aguirre, Alonso, see Treviño-Villarreal, Julián, —
Allenrolfea occidentalis, 426
Alnus
incana, 208, 214
sinuata, 213
Alopecia associated with postjuvenile molt in a wild population of *Peromyscus maniculatus*, John A. Sinclair, Robert L. Lochmiller, Charles W. Qualls, Jr., and Connie C. Cummings, 405–407
Alopex lagopus, 476
Aloysia gratissima, 197, 200, 275–277
Altriplex
canescens, 408
confertifolia, 408
Amazilia
candida, 231
tzacatl, 231
Amblema plicata, 321–332
Amblycercus holosericeus, 232
Ambrosia
confertifolia, 408
dumosa, 48, 234, 391, 408
Ambystoma
texanum, 7
tigrinum, 7
Ambystomatidae, 7
Ameiridae, 259
Ameiurus melas, 119
Ammodramus savannarum, 456
Ammotragus lervia, 163
Amphibia, 88–91
Amphibolorus, 391
Amphispiza bilineata, 158
Amsinckia tessellata, 48
Amyris
madrensis, 42, 43, 276, 277
texana, 42, 276, 277
Anas
acuta, 219, 221
americana, 222
clypeata, 222
crecca, 222
cyanoptera, 221
discors, 222
platyrhynchos, 221
strepera, 221
Ancylostoma, 477
Andelt, William F., and Thomas D. I. Beck, Effect of black-footed ferret odors on behavior and reproduction of prairie dogs, 344–351
Anguidae, 9
Anguilla rostrata, 341
Anhinga anhinga, 497
Anodonta, 329
Ansley, R. J., see Kramp, B. A., —
Anticlea elegans, 210
Antilocapra americana, 156, 163–169, 415
Antrozous pallidus, 54
Aphelocoma
californica, 170
coerulescens, 456
Aplodontia rufa, 345
Apocyclops panamensis, 258
Aporosaura anchietae, 391
Aquila chrysaetos, 345
Araceae, 74

Arachnida, 296–299
Araliaceae, 74
Arctodiaptomus dorsalis, 258, 261
Arctostaphylos adenotricha, 209
Ardea alba, 497
Arenotherus joshuaensis, 291–295
Aristida, 451
  longiseta, 450
  purpurea, 196
  ternipes, 450
Arizona elegans, 443, 445
Arkansia wheeleri, 341
Army ant from southern Texas (Hymenoptera: Formicidae), a new, William P. MacKay, 333–335
Arnica
  cordifolia, 205, 208–212
  latifolia, 205
Arremon aurantiirostris, 232
Artemonops
  chloronotus, 232
  rufivirgatus, 232
Artemesia, 125
  tridentata, 138
Artemisia, 136
  filifolia, 166
  ludoviciana, 196
  scopulorum, 208, 212
  tridentata, 210
Asclepiadaceae, 42
Asclepias, 450
  curassavica, 276
  syriaca, 431, 435
Assortative mating by size in two species of *Chauliognathus* (Coleoptera: Cantharidae), Ruth Bernstein and Stephen Bernstein, 62–69
Astragalus, 49, 138, 450
  miser, 210
Athene cunicularia, 344
Atriplex, 48
  canescens, 54, 165, 176–182, 450, 470
Attheyella pilosa, 259
Attila spadiceus, 231, 232
Auplopus mexicanus, 253
Auth, David L., see Smith, Hobart M., —
Automolus ochrolaemus, 231
Aves, 496–498
Ayenia, 276
  microphylla, 39
Aythya
  affinis, 222
  americana, 221
  collaris, 222
  valisneria, 222

Baccharis sarothroides, 426
Baeolophus
  bicolor, 279, 282
  wollweberi, 279–282
Baileya multiradiata, 450
Bakerilymnaea techella, 283
Ballinger, Royce E., see Lemos-Espinal, Julio A., —
Barn owl prey use in Chihuahuan Desert foothills, Eric E. Jorgensen, Scott M. Sell, and Stephen Demarais, 53–56
Barnes, Paul W., see Gass, Leila, and —
Barry, Robert X., see Hardy, Paul C., —
Bastardia viscosa, 276, 277
Bauerus dubiaquercus, 495–496
Bauerus dubiaquercus (Vespertilionidae) in Oaxaca, Mexico, first record of, Miguel A. Briones Salas, 495–496
Beaucarnea gracilis, 39
Beck, Thomas D. I., see Andelt, William F., and —
Belomicrus quemaya, 251
Berberis trifoliolata, 190, 200
Berk, Ilona M., see Treviño-Villarreal, Julián, —
Bernardia
  mexicana, 39
  myricaefolia, 276
Bernstein, Ruth, and Stephen Bernstein, Assortative mating by size in two species of *Chauliognathus* (Coleoptera: Cantharidae), 62–69
Bernstein, Stephen, see Bernstein, Ruth, and —
Berry, Mark E., and Carl E. Bock, Effects of habitat and landscape characteristics on avian breeding distributions in Colorado foothills shrub, 453–461
Bestelmeyer, Brandon T., and Matthew T. Stevenson, Documenting risk-avoidance in desert rodents using a new technique, 397–402
Bidens aristosa, 435
Bigoniaceae, 276
Bihr, Keeley J, and Rosemary J. Smith, Location, structure, and contents of burrows of *Spermophilus lateralis* and *Tamias minimus*, two ground-dwelling sciurids, 352–362
Biomphalaria, 283
Bison bison, 417
Bivalvia, 321–332
Black-footed ferret odors on behavior and reproduction of prairie dogs, effect of, William F. Andelt and Thomas D. I. Beck, 344–351
Bobcat (*Lynx rufus*) in Jalisco, Mexico, range extension of the, Carlos A. López-González, Alberto González-Romero, and John W. Laundré, 103–105
Bobcats in residential areas: distribution and homeowner attitudes, Robert L. Harrison, 469–475
Bock, Carl E., see Berry, Mark E., and —
Boerhaavia spicata, 450
Boerhavia spicata, 449
Bombycilla cedrorum, 456
Boraginaceae, 42
Borrichia frutescens, 276, 277
Bos taurus, 300–312
Bosmina
  coregoni, 95–96
  longirostris, 95–96
Bosmina (*Eubosmina*) *coregoni* (Crustacea, Cladocera) in Missouri: a new record and range extension, a note on the occurrence of, William R. Mabee, 95–96
Bothriochloa saccharioides, 450
Bouteloua, 165, 451, 498
  aristidoides, 450
  barbata, 450
  curtipendula, 166, 450
  eriopoda, 167, 270, 450
  gracilis, 167
Bradytriton, 90
Brahea nitida, 39
Breeding duck populations and productivity on montane wetlands in Arizona, James H. Gammonley and Leigh H. Fredrickson, 219–227
Brickellia californica, 54
Briones Salas, Miguel A., First record of *Bauerus dubiaquercus* (Vespertilionidae) in Oaxaca, Mexico, 495–496
Bromelia, 276
Bromus, 138
  canadensis, 212, 214
Brown, J. Jed, see Glenn, Edward, —
Bryocamptus minutus, 259
Bubo virginianus, 235
Bubulcus ibis, 497
Buchloe dactyloides, 301
Bufo
  alvarius, 158
  cognatus, 158, 443, 445
  marinus, 7
  punctatus, 7, 443, 445
  speciosus, 8
  woodhousii, 498
Bufonidae, 7
Bumelia
  celastrina, 276, 277
  laetevirens, 276
Bursera
  copallifera, 34
  fagaroides, 34
  simaruba, 101, 229, 276
Burseraceae, 74
Bush, J. K., see Van Auken, O. W., and —
Buteo
  jamaicensis, 345
  lagopus, 345
  regalis, 344

Caching of prey by a long-tailed weasel (*Mustela frenata*), an observation on, Erin Muths, 106

Caesalpinia mexicana, 42–44, 276
Caillouet, Traci, see Ott, James R., —
Calamagrostis canadensis, 208, 210, 212, 214
Calidris mauri, 57–61
Calliandra eriophylla, 200
Calliandria eriophylla, 39
Callicarpa acuminata, 276
Campbell, B. G., see Miller, D. S., —
Campos, E., see Miller, D. S., —
Campostoma anomalum, 340
Campylopterus
curvipennis, 231
hemileucurus, 231
Campylorhynchus brunneicapillus, 449–452
Canis latrans, 148, 300–312, 345, 469, 477
Canthocamptidae, 259
Capillaria, 477
Capra
aegagrus, 163
ibex, 163
Capsicum
annum, 42
annuum, 275–277
Caracolus caracolla, 70–79
Cardamine cordifolia, 212, 213
Carden..., Manuel, see Smith, Christine, —
Carduelis
pinus, 456
psaltria, 456
tristis, 456
Carex
aquatilis, 212, 214, 215
disperma, 212, 215
foenea, 210
geyeri, 209, 210, 214
rossii, 209, 211
Carmona, Roberto, see Fernández, Guillermo, —
Carnivora, 101–102
Carollia brevicauda, 496
Carpodacus mexicanus, 456
Castela texana, 276, 277
Castilleja, 138
Catherpes mexicanus, 457
Caudata, 88–91
Cecropia mexicana, 229
Ceiba
parvifolia, 34
pentandra, 101, 229
Celtis
iguanaea, 276
laevigata, 42, 190
pallida, 42, 43, 196, 197, 200, 275–277
Ceratoides lanata, 167, 450
Ceratophyllus, 358
Cerceris
astarte, 252
rufopicta, 252
Cercidium, 234
macrum, 42–44
microphyllum, 235
Cercocarpus montanus, 454, 470
Cercomacra tyrannina, 231, 232
Ceriodaphnia lacustris, 95
Ceropales longipes, 253
Cervus elaphus, 345
Ceryle torquata, 231
Chaetodipus, 53–55, 400, 480
baileyi, 158
californicus, 481, 482
fallax, 397, 399
penicillatus, 158
Chamerion danielsii, 210, 211
Chauliognathus
basalis, 62–69
deceptus, 62–69
pennsylvanicus, 63
Chelydra serpentina, 9
Chelydridae, 9
Chilomeniscus cinctus, 413
Chilopsis linearis, 54, 450
Chiroptera, 484–490
Chiropterotriton, 89
Chiszar, David, see Lemos-Espinal, Julio A., —
Chiszar, David, see Smith, Hobart M., —
Chloris virgata, 450
Chloroceryle
aenea, 231
amazona, 231
americana, 231
Chondestes grammacus, 456
Chordeiles acutipennis, 235
Chrysactinia mexicana, 197, 200
Chrysothamnus, 138
nauseosus, 63, 470
Ciccaba virgata, 231
Cinna latifolia, 205, 215
Cirsium ochrocentrum, 450
Citharexylum berlandieri, 275–277
Cladocera, 95–96
Cladophora glomerata, 81
Claravis pretiosa, 231
Clethrionomys glareolus, 345
Cletocamptus
albuquerquensis, 259, 260
deitersi, 259, 260
Cletodidae, 259
Cnemidophorus
exsanguis, 443, 445, 446
exsanquis, 441
gularis, 9
inornatus, 445, 446
marmoratus, 441, 443, 445, 446
neomexicanus, 445, 446
sexlineatus, 10
tesselatus, 443, 445
tigris, 158
uniparens, 443, 445
Cnidoscolus
multilobus, 276
tehuacanensis, 39
Coahuilix landeyi, 283
Coccidia, 477
Coccidium bigeminum, 477
Coffea arabica, 495–496
Colaptes auratus, 456
Coldren, Cade L., see Coldren, Mary K., —
Coldren, Mary K., Cade L. Coldren, Kimberly G. Smith, and Sterling S. Lacy, First Neotropic cormorant, *Phalacrocorax brasilianus* (Aves: Phalacrocoracidae), breeding record for Arkansas, 496–498
Coleogyne ramosissima, 48, 376–380, 397, 408, 409
Coleonyx brevis, 443, 445
Colibri delphinae, 231
Color pattern variants in the Trans-Pecos copperhead, Michael R. Haynie and Alec Knight, 499–500
Coluber constrictor, 10
Colubridae, 10, 412–415
Comarostaphyllis polifolia, 39
Compositae, 42, 313–320
Condalia hookeri, 42, 200, 275–277
Contopus virens, 456
Contreras-Arquieta, Alberto, New records of the snail *Melanoides tuberculata* (Müller, 1774) (Gastropoda: Thiaridae) in the Cuatro Cienegas Basin, and its distribution in the state of Coahuila, Mexico, 283–286
Convolvulus arvensis, 345
Cophosaurus texanus, 445, 446
Cordia
boisieri, 42
boissieri, 276, 277
Corixidae, 80, 81
Corvus assiffragus, 497
Corytophanidae, 6
Coutaportla ghiesbregthiana, 39
Covell, D. F., see Miller, D. S., —
Cowania, 378
Crabro tumidus, 251
Crataegus, 454
Cratogeomys, 54
Crenichthys baileyi, 115–119
Crotalus
atrox, 443, 445
viridis, 11, 345
Crotaphytidae, 6
Crotaphytus collaris, 443, 445
Croton, 165
californicus, 48
humilis, 276, 277
Crotophaga sulcirostris, 231
Crustacea, 95–96, 256–265
Cryptantha, 138
Cryptocyclops bicolor, 257
Crystallaria asperella, 338
Ctenophorus, 391, 393
Cucurbita foetidissima, 167

Cummings, Connie C., see Sinclair, John A., —
Cupressaceae, 363–373
Cupressus
forbesii, 363–373
macrocarpa, 367
Cutler, Tricia L., and Michael L. Morrison, Habitat use by small vertebrates at two water developments in southwestern Arizona, 155–162
Cyanocitta
cristata, 174
stelleri, 456
Cyanocompsa
cyanoides, 232
parellina, 232
Cyclopidae, 258
Cyclops viridis, 257
Cynodon dactylon, 14
Cynomys
gunnisoni, 148
leucurus, 148
ludovicianus, 148, 344–351
mexicanus, 147–154
parvidens, 147, 148
Cyprinella whipplei, 340
Cyprinus carpio, 119
Cytharexyllun tetramerum, 39

Dacryodes excelsa, 71, 72, 74, 75
Dalea
formosa, 54, 165, 166
thyrsiflora, 276, 277
Danaea nodosa, 74, 75
Danthonia intermedia, 214
Daphnia
galeata, 95
retrocurva, 95
Darcythompsoniidae, 259
Dasilirion, 39
Dasymutilla serenitas, 254
Dasypodidae, 491–495
Dasypus novemcinctus, 462–468, 491–495
Daucus carota, 431, 434
Davis, William E., Jr., see Kricher, John C., and —
de la Cueva, Horacio, see Fernández, Guillermo, —
Dean, W. R. J., see Milton, Suzanne J., —
Deckard, Krista, see Mathis, Alicia, —
Demarais, Stephen, see Jorgensen, Eric E., —
Dendrocincla
anabatina, 231, 232
homochroa, 231
Dendroica
coronata, 158, 456
pensylvanica, 456
petechia, 456
Dendropanax arboreus, 74
Dendrotriton, 88
bromeliacia, 89, 90
cuchumatanus, 89
megarhinus, 89
rabbi, 89, 90
sanctibarbarus, 89, 90
xolocalcae, 89
Descurainia pinnata, 450, 451
Desmanthus velutinus, 196
Desmognathus auriculatus, 7
Diacyclops, 261
bernardi, 258
chakan, 258
puuc, 258
thomasi, 96
Dialium quianense, 229
Diaphanosoma birgei, 95
Diaptomidae, 258, 259
Diaptomus, 260
Diets of native and non-native ungulates in southcentral New Mexico, Christine Smith, Raul Valdez, Jerry L. Holechek, Phillip J. Zwank, and Manuel Cardenas, 163–169
Digitaria californica, 450
Diosaccidae, 259
Diospyros
palmeri, 42–44
texana, 41–44, 190, 200, 276, 277
Dipodomys, 55, 480
agilis, 397, 481, 482
deserti, 158, 397, 399
ingens, 270
merriami, 158, 271, 397–401
ordii, 147, 148, 153, 271, 272
simulans, 397, 399
spectabilis, 269–273
stephensi, 270
Dipogon
graenicheri, 253
iracundus, 253
Diptylidium caninum, 477
Dirofilaria immitis, 476–478
Dispersal of seeds as nest material by the cactus wren, Suzanne J. Milton, W. R. J. Dean, G. I. H. Kerley, M. T. Hoffman, and W. G. Whitford, 449–452
Distegia involucrata, 210, 212
Distichlis spicata, 313, 315, 316, 318, 319
Distributional records for Texas reptiles and amphibians, new, Ronald L. Gutberlet, Jr., Carol L. Stewart, and Michael B. Keck, 6–12
Documenting risk-avoidance in desert rodents using a new technique, Brandon T. Bestelmeyer and Matthew T. Stevenson, 397–402
Drosophila melanogaster, 2
Duer, Connie, see Mathis, Alicia, —
Dumetella carolinensis, 456
Duranta repens, 276
Dyssodea acerosa, 54
Dytiscidae, 80, 81

Ebenaceae, 42
Ebenopsis ebano, 42–44
Echinocereus enneacanthus, 200
Ectemnius
satan, 251
sonorensis, 251
Ectocyclops
phaleratus, 258
rubescens, 258
Egretta
caerulea, 497
thula, 497
tricolor, 497
Elaeagnus angustifolia, 470
Elaphe
guttata, 10
obsoleta, 10
Elaphoidella
bidens, 259
grandidieri, 259
Eleocarpaceae, 74
Elliptio, 329
Elymus, 138
Empidonax oberholseri, 456
Emydidae, 9
Engelmannia pinnatifida, 196
Ephedra
antisyphilitica, 200
nevadensis, 408
trifurca, 165, 166, 270
viridis, 138, 397
Ephuta sudatrix, 254
Epilobocera situatifrons, 72
Epinysson mellipes, 251
Equisetum arvense, 208, 212
Equus caballus, 163–169
Eragrostis lehmanniana, 449, 450
Eremobates
durangonus, 294
marathoni, 291–295, 296–299
palpisetulosus, 294
Eremobatidae, 291–295, 296–299
Eremorhax magnus, 296
Ericameria austrotexana, 276, 277
Erigeron
formosissimus, 210, 214
melanocephalus, 208, 211
Eriogonum annuum, 450
Erioneuron pulchellum, 54, 450, 451
Etheostoma
chlorosomum, 338
Etheostoma
proeliare, 338
radiosum, 340
vivax, 338
Eubosmina coregoni, 95–96
Eucalyptus caesia, 368
Eucometis penicillata, 232
Eucyclops
agilis, 256–258, 261
bondi, 258
conrowae, 257, 258
elegans, 258
festivus, 258
prionophorus, 258
serrulatus, 258

Euderma maculatum, 266–269
Eudocimus albus, 497
Eumeces
multivirgatus, 9
obsoletus, 443, 445
Eumops perotis, 266
Eupatorium
azureum, 276, 277
odoratum, 275–277
Euphagus cyanocephalus, 457
Euphonia
gouldi, 232
hirundinacea, 2[illegible]
Euphorbia antisiphyllitica, 39
Euphorbiaceae, 276
Eurycea quadridigitata, 7
Eutamias
amoenus, 353
sibiricus, 353, 360

Faeth, Stanley H., see Koenig, Walter D., and —
Fairbanks, W. Sue, see Lee, Thomas, E., Jr., and —
Fallugia paradoxa, 54, 470
Farris, Jerry L., see Johnson, Ronald L., —
Felis
catus, 474
pardalis, 104
Fernández, Guillermo, Roberto Carmona, and Horacio de la Cueva, Abundance and seasonal variation of western sandpipers (*Calidris mauri*) in Baja California Sur, Mexico, 57–61
Ferris, David K., M. J. Killion, K. P. Ferris, W. E. Grant, and S. B. Vinson, Influence of relative abundance of red imported fire ants (*Solenopsis invicta*) on small mammal captures, 97–100
Ferris, K. P., see Ferris, David K., —
Ferrissia, 283
Festuca minutiflora, 211
Ficken, Millicent S., see Nocedal, Jorge, and —
Ficus, 276
Fish assemblage structure from 20 years of collections in the Kiamichi River, Oklahoma, Mark Pyron, Caryn C. Vaughn, Matthew R. Winston, and Jimmie Pigg, 336–343
Flores, Joel, and Enrique Jurado, Germination and early growth traits of 14 plant species native to northern Mexico, 40–46
Floristic and life-form diversity along an altitudinal gradient in an intertropical semiarid Mexican region, Carlos Montaña and Alfonso Valiente-Banuet, 25–39
Florisuga mellivora, 231
Flourensia cernua, 54
Forest communities at Fraser Experimental Forest, Colorado, Laurie Stroh Huckaby and W. H. Moir, 204–218
Forest stand characteristics of successful and unsuccessful Merriam's turkey nest sites in north-central Arizona, Brian F. Wakeling, Steven S. Rosenstock, and Harley G. Shaw, 242–248
Forestiera
pubescens, 190
angustifolia, 200, 275–277
Forestieria angustifolia, 200
Formicarius analis, 231
Formicidae, 333–335
Fossaria modicella, 283
Fouquieria formosa, 39
Fragaria virginiana, 210
Franzinua, 116
Fredrickson, Leigh H., see Gammonley, James H., and —
Free-living freshwater copepods (Crustacea) of Mexico, an undated list of the, E. Suárez-Morales and J. W. Reid, 256–265
Freeman, Patricia W., and Hugh H. Genoways, Recent northern records of the nine-banded armadillo (Dasypodidae) in Nebraska, 491–495
French, Barbara, and Amanda Lollar, Observations on the reproductive behavior of captive *Tadarida brasiliensis mexicana* (Chiroptera: Molossidae), 484–490
Fulmarus glacialis, 402, 403
Fundulus olivaceus, 336, 338, 340

Galeodes, 294
arabs, 292
Galium tomentosum, 449
Gambelia wislizenii, 443, 445
Gambusia affinis, 119, 340
Gammonley, James H., and Leigh H. Fredrickson, Breeding duck populations and productivity on montane wetlands in Arizona, 219–227
Gannon, Michael R., see Willig, Michael R., —
Gannon, William L., Syntopy between two species of long-eared bats (*Myotis evotis* and *Myotis auriculus*), 394–396
Garrulus glandarius, 174
Garrya ovata, 39
Gass, Leila, and Paul W. Barnes, Microclimate and understory structure of live oak (*Quercus fusiformis*) clusters in central Texas, USA, 183–194
Gastrophryne olivacea, 8
Gastropoda, 283–286
Gekkonidae, 9
Genetic diversity among four amblemini species (Bivalvia: Unionidae) in the Cache and White rivers, Arkansas, Ronald L. Johnson, Fang Qing Liang, and Jerry L. Farris, 321–332
Genetics of a founder event, the, Thomas E. Lee, Jr. and W. Sue Fairbanks, 415–418
Genoways, Hugh H., see Freeman, Patricia W., and —
Geomys, 54
Geranium richardsonii, 212
Germination and early growth traits of 14 plant species native to northern Mexico, Joel Flores and Enrique Jurado, 40–46
Gila
robusta, 115
seminuda, 115–122
Glaucidium brasilianum, 235
Glenn, Edward, David Moore, Stewart Sanderson, J. Jed Brown, Don Lash, Mansel Nelson, and Jody Waugh, Comparison of growth and morphology of *Atriplex canescens* varieties *occidentalis* and *angustifolia*, 176–182
Glyceria, 215
elata, 205
striata, 205
Glyphorhynchus spirurus, 230–232
Gochnathia hypoleucha, 42
Goldberg, Stephen R., Reproduction in the Sonoran whipsnake, *Masticophis bilineatus* (Serpentes: Colubridae), 412–415
Gonolobus, 42–44
González-Romero, Alberto, see López-González, Carlos A., —
Gopherus agassizii, 391, 407–411
Gorytes
deceptor, 252
dorothyae, 252
Gouania lupuloides, 276
Grant, W. E., see Ferris, David K., —
Grant, William E., see Treviño-Villarreal, Julián, —
Graptemys
kohnii, 6
pseudogeographica, 6, 9
Graptocorixa serrulata, 80–86
Grayia spinosa, 408
Growth and morphology of *Atriplex canescens* varieties *occidentalis* and *angustifolia*, comparison of, Edward Glenn, David Moore, Stewart Sanderson, J. Jed Brown, Don Lash, Mansel Nelson, and Jody Waugh, 176–182
Growth rates of juvenile nine-banded armadillos, Colleen M. Mc-

Donough, Suzanne A. McPhee, and W. J. Loughry, 462–468
Gryllus, 292
Guaiacum angustifolium, 276, 277
Guarea guidonia, 74
Guazuma ulmifolia, 276
Guiraca caerulea, 457
Gutberlet, Ronald L., Jr., Carol L. Stewart, and Michael B. Keck, New distributional records for Texas reptiles and amphibians, 6–12
Gutierrezia sarothrae, 54, 442, 450, 470
Gyalopion canum, 443, 445
Gymnocichla nudiceps, 231
Gymnura marmorata, 502

Habia rubica, 232
Habitat and landscape characteristics on avian breeding distributions in Colorado foothills shrub, effects of, Mark E. Berry and Carl E. Bock, 453–461
Habitat use by semi-aquatic snakes at ponds on a reclaimed strip mine, Michael B. Keck, 13–19
Habitat use by small vertebrates at two water developments in southwestern Arizona, Tricia L. Cutler and Michael L. Morrison, 155–162
Habitat vegetative condition on trap response of rodents associated with burrow mounds of *Dipodomys spectabilis* in a desert grassland, influence of, Fenton R. Kay, 269–273
Haigh, Sandra L., Stem diameter-age relationships of *Tamarix ramosissima* on lake shore and stream sites in southern Nevada, 425–429
Haliaeetus leucocephalus, 345
Halicyclops, 261
  magniceps, 257
Halicylops
  caneki, 259
  cenoticola, 259
  magniceps, 259
Hall, Linnea S., and Michael L. Morrison, Responses of mice to fluctuating habitat quality II. A supplementation experiment, 137–146
Hall, Linnea S., see Morrison, Michael L., and —
Hamelia patens, 276
Haplopappus
  gracilis, 450, 451
  venetus, 431, 434
Hardy, Paul C., Tiffany N. Abeloe, Robert X. Barry, and Michael L. Morrison, Abundance and habitat associations of common poorwills in the Sonoran Desert, 234–241
Harrison, Robert L., Bobcats in residential areas: distribution and homeowner attitudes, 469–475
Harvey, James E., see Scoppettone, G. Gary, —
Havardia pallens, 42–44
Haynie, Michael R., and Alec Knight, Color pattern variants in the Trans-Pecos copperhead, 499–500
Hechtia, 39
Helianthus, 498
  annuus, 63, 314
  paradoxus, 313–320
  petiolaris, 314
Helietta parvifolia, 42
Helisoma anceps, 285
Helpers in the bridled titmouse, Jorge Nocedal and Millicent S. Ficken, 279–282
Hemidactylus turcicus, 9
Henicorhina leucosticta, 232
Hensley, Rebecca A., Michael J. McCoid, and Carl A. Luer, Litter variation in the Atlantic guitarfish (Rhinobatidae: *Rhinobatos lentiginosus*) with comments on distribution in the Gulf of Mexico, 501–504
Heracleum sphondylium, 214
Herpetofauna associated with arroyos and uplands in foothills of the Chihuahuan Desert, Eric E. Jorgensen and Stephen Demarais, 441–448
Heterodon platirhinos, 10
Heteropogon contortus, 451
Hibiscus rosa-sinensis, 75
Hilaria
  mutica, 165, 166
  rigida, 397
Hoffman, M. T., see Milton, Suzanne J., —
Holbrookia maculata, 498
Holechek, Jerry L., see Smith, Christine, —
Homocyclops ater, 258
Hook, Allan W., New distribution records of aculeate wasps in Texas and adjacent states (Hymenoptera: Sphecidae, Pompilidae, Mutillidae), 249–255
Hoplisoides placidus, 252
Hoplocercidae, 6
Huckaby, Laurie Stroh, and W. H. Moir, Forest communities at Fraser Experimental Forest, Colorado, 204–218
Hybognathus
  nuchalis, 341
  placitus, 341
Hydrophilidae, 80, 81
Hyla
  chryscocelis, 8
  crucifer, 6
  versicolor, 8
Hylidae, 8
Hylophilus ochraceiceps, 232
Hymenoclea, 49
  salsola, 48
Hymenopappus flavescens, 165, 166
Hymenoptera, 249–255, 333–335
Hypsiglena torquata, 443, 445

Ichnanthus pallens, 74–76
Icteria virens, 453, 456
Icterus bullockii, 456
Idionycteris phyllotis, 266
Iguanidae, 6
Influence of relative abundance of red imported fire ants (*Solenopsis invicta*) on small mammal captures, David K. Ferris, M. J. Killion, K. P. Ferris, W. E. Grant, and S. B. Vinson, 97–100
Insect dispersal in a drying desert stream: effects of temperature and water loss, Josefa Velasco and Andres Millan, 80–87
Intraspecific male aggression in *Arenotherus joshuaensis* Brookhart and Muma, and *Eremobates marathoni* Muma (Solifugae, Eremobatidae), Fred Punzo, 291–295
Ipomoea, 276
Isocoma drummondii, 276, 277
Ixodes, 147, 149, 150
  kingi, 477, 478
  sculptus, 477, 478

Jatropha dioica, 200, 276, 277
Johnson, Ronald L., Fang Qing Liang, and Jerry L. Farris, Genetic diversity among four amblemini species (Bivalvia: Unionidae) in the Cache and White rivers, Arkansas, 321–332
Jorgensen, Eric E., and Stephen Demarais, Herpetofauna associated with arroyos and uplands in foothills of the Chihuahuan Desert, 441–448
Jorgensen, Eric E., Scott M. Sell, and Stephen Demarais, Barn owl prey use in Chihuahuan Desert foothills, 53–56
Junco
  hyemalus, 457
  hymenalis, 139
Juncus drummondii, 214
Juniperus
  ashei, 183, 184, 189
  communis, 210, 214
  deppeana, 243
  monosperma, 123, 124, 470
  osteosperma, 377
  oteosperma, 138
  pinchotii, 184
  virginiana, 184
Jurado, Enrique, see Flores, Joel, and —
Jurena, P. N., and O. W. Van Auken,

Woody plant recruitment under canopies of two acacias in a southwestern Texas shrubland, 195–203

Karwinskia
humboldtiana, 277
humboltiana, 276
Kay, Fenton R., Influence of habitat vegetative condition on trap response of rodents associated with burrow mounds of *Dipodomys spectabilis* in a desert grassland, 269–273
Keck, Michael B., Habitat use by semiaquatic snakes at ponds on a reclaimed strip mine, 13–19
Keck, Michael B., see Gutberlet, Ronald L., Jr., —
Keeley, Jon E., see Schwilk, Dylan W., and —
Kerley, G. I. H., see Milton, Suzanne J., —
Killion, M. J., see Ferris, David K., —
Kinkajou, *Potos flavus* (Carnivora: Procyonidae), from Isla Cozumel, Quintana Roo, Mexico, first record of the, Enrique Martínez-Meyer, Miguel Martínez-Morales, and Javier Sosa-Escalante, 101–102
Kinosternidae, 9
Kinosternon
carinatum, 6
odoratum, 6, 9
Knight, Alec, see Haynie, Michael R., and —
Koeberlinia spinosa, 276, 277
Koenig, Walter D., and Stanley H. Faeth, Effects of storage on tannin and protein content of cached acorns, 170–175
Krameria glandulosa, 200
Kramp, B. A., R. J. Ansley, and T. R. Tunnell, Survival of mesquite seedlings emerging from cattle and wildlife feces in a semi-arid grassland, 300–312
Kricher, John C., and William E. Davis, Jr., Species richness and site fidelity among resident Neotropical birds, 228–233

Labidesthes sicculus, 336, 338, 340
Labidus coccus, 335
Laboratory evidence for territorial behavior by the southern red-backed salamander, *Plethodon serratus*: influence of residency status and pheromonal advertisement, Alicia Mathis, Krista Deckard, and Connie Duer, 1–5
Laccophilus maculosus, 80–86
Lacy, Sterling S., see Coldren, Mary K., —
Lamponius portoricensis, 76
Lampropeltis calligaster, 10
Lampsilis, 329
Laniocera rufescens, 231
Lantana horrida, 200, 276, 277
Larrea, 48–52
tridentata, 35, 47, 54, 156, 165, 196, 234, 313, 318, 377, 391, 397, 408, 409, 450
Lash, Don, see Glenn, Edward, —
Lathyrus leucanthus, 214
Laundré, John W., see López-González, Carlos A., —
Lee, Thomas, E., Jr., and W. Sue Fairbanks, The genetics of a founder event, 415–418
Leguminosae, 42
Lei, Simon A., Soil properties of the Kelso Sand Dunes in the Mojave Desert, 47–52
Lemmiscus curtatus, 359
Lemos-Espinal, Julio A., Hobart M. Smith, Royce E. Ballinger, Geoffrey R. Smith, and David Chiszar, A contribution to the superspecies concept of the lizard *Sceloporus undulatus*: *S. u. belli*, a species, 20–24
Leopardus pardalis, 104, 273–279
Lepomis, 14
macrochirus, 340
marginatus, 338
megalotis, 340
Leptocaris stromatolicolus, 259
Leptochloa dubia, 165, 166
Leptodea, 329
Leptodiaptomus, 260
assiniboiensis, 258, 261
connexus, 258, 261
cuauhtemoci, 258, 261
mexicanus, 258, 261
novamexicanus, 258
siciloides, 258, 261
Leptodora kindti, 95
Leptoloma cognatum, 196
Leptopogon amaurocephalus, 231
Leptotila cassinii, 231
Leptotyphlopidae, 11
Leptotyphlops
dulcis, 11, 437–440, 443, 445
humilis, 437–440
Lepus americanus, 144, 345
Leucaena pulverulenta, 276
Leucophyllum frutescens, 42–44, 196, 200
Leucophylum frutescens, 276, 277
Liang, Fang Qing, see Johnson, Ronald L., —
Linnaea borealis, 212
Liris
muspa, 250
partitus, 250
Litter variation in the Atlantic guitarfish (Rhinobatidae: *Rhinobatos lentiginosus*) with comments on distribution in the Gulf of Mexico, Rebecca A. Hensley, Michael J. McCoid, and Carl A. Luer, 501–504
Location, structure, and contents of burrows of *Spermophilus lateralis* and *Tamias minimus*, two ground-dwelling sciurids, Keeley J Bihr and Rosemary J. Smith, 352–362
Lochmiller, Robert L., see Sinclair, John A., —
Lollar, Amanda, see French, Barbara, and —
Long foraging distance for a spotted bat (*Euderma maculatum*) in northern Arizona, Michael J. Rabe, Melissa S. Siders, C. Richard Miller, and Tim K. Snow, 266–269
López-González, Carlos A., Alberto González-Romero, and John W. Laundré, Range extension of the bobcat (*Lynx rufus*) in Jalisco, Mexico, 103–105
Loughry, W. J., see McDonough, Colleen M., —
Luer, Carl A., see Hensley, Rebecca A., —
Lupinus, 358
Luzula parviflora, 214
Lycium
andersonii, 408
berlandieri, 276, 277
pallidum, 408
Lynx rufus, 103–105, 469–475
Lysiloma divaricata, 34
Lythrurus umbratilis, 340

Mabee, William R., A note on the occurrence of *Bosmina* (*Eubosmina*) *coregoni* (Crustacea, Cladocera) in Missouri: a new record and range extension, 95–96
Machaeranthera tanacetifolia, 450
MacKay, William P., A new army ant from southern Texas (Hymenoptera: Formicidae), 333–335
Macrocyclops
albidus, 258, 261
fuscus, 258
Mahonia repens, 209
Malacoptila panamensis, 231, 232
Malphigia glabra, 42, 276, 277
Malpighiaceae, 42, 276
Mammilaria sulcata, 197
Mammillaria, 27
spinosa, 29, 39
sulcata, 200
Manacus candei, 230–232
Manilkara bidentata, 74
Marattiaceae, 74
Marcgravia rectiflora, 72, 74
Marcgraviaceae, 74
Margarops fuscatus, 72
Marmota
flaviventris, 359
monax, 345

Martínez-Meyer, Enrique, Miguel Martínez-Morales, and Javier Sosa-Escalante, First record of the kinkajou, *Potos flavus* (Carnivora: Procyonidae), from Isla Cozumel, Quintana Roo, Mexico, 101–102
Martínez-Morales, Miguel, see Martínez-Meyer, Enrique, —
Mascagnia parvifolia, 39
Masticophis
bilineatus, 412–415
flagellum, 158, 443, 445
lateralis, 412, 414
taeniatus, 412–414, 443, 445
Mastigodiaptomus
albuquerquensis, 256, 258, 260, 261
montezumae, 258, 261
nesus, 258, 261
texensis, 258
Mathis, Alicia, Krista Deckard, and Connie Duer, Laboratory evidence for territorial behavior by the southern red-backed salamander, *Plethodon serratus*: influence of residency status and pheromonal advertisement, 1–5
Maytenus texana, 276, 277
McClenaghan, Leroy R., Jr., see Truesdale, Harold D., and —
McCoid, Michael J., see Hensley, Rebecca A., —
McDonough, Colleen M., Suzanne A. McPhee, and W. J. Loughry, Growth rates of juvenile nine-banded armadillos, 462–468
McLean, R. G., see Miller, D. S., —
McNeely, David L., The Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Albuquerque, New Mexico, Thursday, 9 April 1998, 505–510
McNeely, David L., The Southwestern Association of Naturalists minutes of the business meeting, Albuquerque, New Mexico, Friday, 10 April 1998, 510–514
McPhee, Suzanne A., see McDonough, Colleen M., —
Megacyclops latipes, 258
Melanerpes formicivorus, 170
Melanoides tuberculata, 283–286
Melastomaceae, 449
Meleagris gallopavo, 242–248
Meliaceae, 74
Melospiza melodia, 456
Menodora longiflora, 196
Mesocestoides, 477
Mesocyclops
aspericornis, 258
chaci, 258
edax, 96, 258
ellipticus, 257
longisetus, 258
reidae, 257, 258, 261
yutsil, 258
Mesogyna hepatica, 477
Metopium brownei, 101
Mexipyrgus churinceanus, 283
Mexistiobia manantialis, 283
Mexithauma quadripaludium, 283
Micrathene whitneyi, 235
Microcerculus marginatus, 232
Microclimate and understory structure of live oak (*Quercus fusiformis*) clusters in central Texas, USA, Leila Gass and Paul W. Barnes, 183–194
Microcyclops
anceps, 258
ceibaensis, 258
dubitabilis, 258
rubellus, 258, 261
varicans, 258
Microdiaptomus cokeri, 258, 261
Microhylidae, 8
Micromenetus brongniartianus, 283
Micronycteris megalotis, 496
Microtus, 53
agrestis, 345
arvalis, 345, 349
canicaudus, 345
montanus, 345
pennsylvanicus, 345
pinetorum, 98
Millan, Andres, see Velasco, Josefa, and —
Miller, C. Richard, see Rabe, Michael J., —
Miller, D. S., B. G. Campbell, R. G. McLean, E. Campos, and D. F. Covell, Parasites of swift fox (*Vulpes velox*) from southeastern Colorado, 476–479
Milton, Suzanne J., W. R. J. Dean, G. I. H. Kerley, M. T. Hoffman, and W. G. Whitford, Dispersal of seeds as nest material by the cactus wren, 449–452
Mimocichla plumbea, 72
Mimosa
luisana, 38
melacophylla, 276
Mimus polyglottos, 456
Minikara achras, 101
Mionectes oleaginea, 230–232
Misumena vatia, 435
Misumenoides formosipes, 435
Misumenops, 435
celer, 430, 431
Mitella
odontoloma, 212, 213
pentandra, 205
stauropetala, 205
Moapa coriacea, 115–122
Moapa coriacea and *Gila seminuda* and status information on other fishes of the Muddy River, Clark County, Nevada, the status of, G. Gary Scoppettone, Peter H. Rissler, M. Bridget Nielsen, and James E. Harvey, 115–122
Moir, W. H., see Huckaby, Laurie Stroh, and —
Moloch, 393
horridus, 391
Molossidae, 484–490
Molothrus ater, 453, 456
Momotus momota, 231
Montaña, Carlos, and Alfonso Valiente-Banuet, Floristic and life-form diversity along an altitudinal gradient in an intertropical semiarid Mexican region, 25–39
Montanoa tehuacana, 39
Moore, David, see Glenn, Edward, —
Moraria cristata, 259
Morkillia mexicana, 39
Morone chrysops, 338
Morrison, Michael L., and Linnea S. Hall, Responses of mice to fluctuating habitat quality I. Patterns from a long-term observational study, 123–136
Morrison, Michael L., see Cutler, Tricia L., and —
Morrison, Michael L., see Hall, Linnea S., and —
Morrison, Michael L., see Hardy, Paul C., —
Molothrus ater, 158
Mrazekiella pilosa, 259
Muhlenbergia
porter, 450
porteri, 54, 165, 166, 442, 449–451
Mus musculus, 98, 148
Mustela
erminea, 345
eversmanni, 345
frenata, 106
nigripes, 344–351
nivalis, 345
vison, 345
Muths, Erin, An observation on caching of prey by a long-tailed weasel (*Mustela frenata*), 106
Mutillidae, 249–255
Myadestes
townsendi, 456
unicolor, 232
Myiobius sulphureipygius, 231, 232
Myotis
auriculus, 394–396
evotis, 394–396
keenii, 395
lucifugus, 489
thysanodes, 396

Nasella leucotricha, 301
Nasua narica, 101
Neivamyrmex
harrisi, 335
isodentatus, 333–335

swainsoni, 335
Nelson, Jim A., see Ott, James R., —
Nelson, Mansel, see Glenn, Edward, —
Neoboxbaumia tetetzo, 27, 34, 38
Neotoma, 55
albigula, 148, 158, 271
fuscipes, 481, 482
lepida, 125, 480–483
micropus, 271
Neotropic cormorant, *Phalacrocorax brasilianus* (Aves: Phalacrocoracidae), breeding record for Arkansas, first, Mary K. Coldren, Cade L. Coldren, Kimberly G. Smith, and Sterling S. Lacy, 496–498
Nepsera aquatica, 449
Nerodia
erythrogaster, 13–18
fasciata, 10, 13, 16, 17
rhombifer, 10–18
sipedon, 18
Neutrocyclops brevifurca, 258, 261
Nielsen, M. Bridget, see Scoppettone, G. Gary, —
Nitela virginiensis, 250
Nitokra
lacustris, 259
pusilla, 259
spinipes, 259
typica, 259
Noccea montana, 211
Nocedal, Jorge, and Millicent S. Ficken, Helpers in the bridled titmouse, 279–282
Notiosorex, 54
Nototriton
nasalis, 88, 89
sanctibarbarus, 88–91
Notropis
atherinoides, 336, 338, 340
boops, 340
ortenburgeri, 340
rubellus, 338
suttkusi, 338, 340
volucellus, 340
Nycticorax nycticorax, 497
Nyctinomops macrotis, 266
Nymphophilus
acarinatus, 283
minckleyi, 283
Nysson subtilis, 251

O'Farrell, Thomas P., see Rautenstrauch, Kurt R., and —
Odocoileus
hemionus, 163, 345
virginianus, 300–312
virginiaus, 417
Oenothera deltoides, 48
Oncostoma cinereigulare, 231
Onychocamptus mohammed, 260
Onychomys, 55
arenicola, 270–272
leucogaster, 270, 272
Onychorhynchus mexicanus, 231, 232
Opheodrys aestivus, 10
Ophisaurus attenuatus, 9
Opisocrostis
hirsutus, 147, 148
tuberculatus, 150
Opluridae, 6
Oporornis tolmiei, 456
Opuntia, 27, 165, 166, 397, 470
engelmannii, 276, 277
imbricata, 450
leptocaulis, 200, 276, 277
lindheimeri, 200
phaeacantha, 200
violaceae, 197, 200
Orbignya cohune, 229
Oreobroma pygmaea, 211
Oreochromis aurea, 115, 116, 118, 119, 121
Oreochrysum parryi, 209, 210
Oreoxis alpina, 211, 212
Origoceras, 283
Oropsylla hirsuta, 147–150, 154
Orthilia secunda, 211
Orthocyclops modestus, 258, 261
Oryctolagus cuniculus, 345
Oryttus yumae, 252
Oryx gazella, 163–169
Oryzoborus funereus, 232
Oryzopsis, 138
Ott, James R., Jim A. Nelson, and Traci Caillouet, The effect of spider-mediated flower alteration on seed production in golden-eye phlox, 430–436
Otus
kennicottii, 235
trichopsis, 280
Oxybelus xerophilus, 251
Oxyura jamaicensis, 221

Palmaceae, 74
Panicum obtusum, 165, 166, 450
Pappogeomys castanops, 148
Paracyclops
fimbriatus, 258, 259
poppei, 259
Parapseudoleptomesochra
botosaneanui, 259
subterranea, 259
Pararge aegeria, 293
Parasites of swift fox (*Vulpes velox*) from southeastern Colorado, D. S. Miller, B. G. Campbell, R. G. McLean, E. Campos, and D. F. Covell, 476–479
Paridae, 279
Parkinsonia texana, 276, 277
Parthenium incanum, 54, 442
Parus
atricapillus, 456
gambeli, 456
niger, 279
Passer domesticus, 457, 512
Passerina
amoena, 453, 456
cyanea, 456
Paullinia, 276
Paxistima myrsinites, 209
Pecari angulatus, 228
Pedicularis racemosa, 211
Pelagic birds from coastal Michoacan, records of, J. Fernando Villaseñor and Laura E. Villaseñor, 402–404
Pelobatidae, 8
Pendleton, Burton K., and Rosemary L. Pendleton, Pollination biology of *Coleogyne ramosissima* (Rosaceae), 376–380
Pendleton, Rosemary L., see Pendleton, Burton K., and —
Perognathus, 53–55, 132
amplus, 158
flavus, 148, 271, 272
longimembris, 397, 399, 400
parvus, 125, 138
Peromyscus, 53–55
boylii, 481, 482
californicus, 405, 481, 482
eremicus, 271, 405, 481, 482
leucopus, 98, 124, 131–133, 271
maniculatus, 106, 123–136, 138, 148, 405–407, 480–482
truei, 123–136, 137–146
Peterson, Charles C., Rain-harvesting behavior of a free-ranging desert horned lizard (*Phrynosoma platyrhinos*), 391–394
Peucetia viridans, 430, 434
Phacelia, 138, 165, 166
Phaeochroa cuvierii, 231
Phaethornis
longuemareus, 231
superciliosus, 230, 231
Phalacrocoracidae, 496–498
Phalacrocorax brasilianus, 496–498
Phalaenoptilus nuttallii, 234–241
Phaulothamnus spinescens, 275–277
Pheucticus melanocephalus, 456
Philodendron giganteum, 72, 74
Phlogothraupis sanguinolenta, 232
Phlox
drummondii, 434
roemeriana, 430, 431
Phoebe tampicensis, 276
Phrynocephalus helioscopus, 391
Phrynosoma
cornutum, 9, 391, 443, 445, 498
modestum, 54, 445, 446, 498–499
platyrhinos, 391–394
Phrynosomatidae, 6, 9, 92–95, 381–390
Phyllorhynchus
browni, 413
decurtatus, 413
Physa virgata, 283
Physalis, 276
Physaloptera, 477
Pica pica, 456

Picea engelmannii, 204, 205, 208, 211, 212
Pigg, Jimmie, see Pyron, Mark, —
Pinus
contorta, 205, 208–211
edulis, 243, 377, 469–470
flexilis, 217, 243
monophylla, 123, 124, 138
ponderosa, 242, 266, 454
rigida, 368
Piper
glabrescens, 70, 74–76
hispidum, 74, 75
Piperaceae, 74
Pipilo
chlorurus, 453, 456
fuscus, 158
maculatus, 453, 456
Pipra mentalis, 230–232
Piranga ludoviciana, 456
Pithecellobium
dulce, 276
elachystophyllum, 39
flexicaule, 275–277
pallens, 275–277
Pituophis
catenifer, 412
melanoleucus, 412
Planorbella tenuis, 283
Plantago, 165
insularis, 166
patagonica, 450
Platyrinchus mystaceus, 231, 232
Plectomerus dombeyanus, 321–332
Plegadis chihi, 497
Plethodon
cinereus, 2
jordani, 2
serratus, 1–5
teyahalee, 2
vandykei, 2
vehiculum, 2
Plethodontidae, 1, 7
Pluchea sericea, 116, 426
Plumeria rubra, 34, 39
Poa, 208, 450
nervosa, 211
Poaceae, 74
Poecile
atricapillus, 279
sclateri, 282
Poecilia mexicana, 118, 119
Poecilopompilus mixtus, 253
Polemoniaceae, 430, 431
Polemonium pulcherrimum, 208, 211
Polioptila caerulea, 453, 456
Pollination biology of *Coleogyne ramosissima* (Rosaceae), Burton K. Pendleton and Rosemary L. Pendleton, 376–380
Polychridae, 6
Pompilidae, 249–255
Pompilus tlahuicanus, 253
Pooecetes gramineus, 456
Population genetic structure of Tecate cypress (Cupressaceae), Harold D. Truesdale and Leroy R. McClenaghan, Jr., 363–373
Populus tremuloides, 208, 214, 243, 266
Porlieria angustifolia, 196
Potos flavus, 101–102
Prestoea montana, 72, 74–77
Priocnemis scitula, 253
Procambarus, 17
Procyon pigmaeus, 101
Procyonidae, 101–102
Prosopis, 116, 181, 234, 335
glandulosa, 54, 165, 166, 184, 199, 200, 267, 270, 275–277, 301, 313–316, 318, 426, 442, 450
laevigata, 38, 42–44
pubescens, 426
reptans, 276, 277
velutina, 155–157
Prunus
americana, 454
virginiana, 454
Psaltriparus minimus, 457
Psammaletes bigeloviae, 252
Psedosmodingium miltifolium, 34
Pseudacris
clarkii, 8
crucifer, 6, 8
triseriata, 8
Pseudoabutilon lozanii, 276, 277
Pseudodiaptomidae, 259
Pseudomethoca albicoma, 254
Pseudomodingium multifolium, 39
Pseudoplisus
californicus, 252
rufomaculatus, 252
smithii, 252
Pseudotsuga menziesii, 243, 266
Psychrophila leptosepala, 208, 212, 213
Pterostemon rotundifolius, 39
Ptychoramphus aleuticus, 403, 404
Puffinus
griseus, 403
l'herminieri, 403
Pulex
irritans, 477, 478
simulans, 147–150, 154, 478
Puma concolor, 47
Punzo, Fred, Intraspecific male aggression in *Arenotherus joshuaensis* Brookhart and Muma, and *Eremobates marathoni* Muma (Solifugae, Eremobatidae), 291–295
Punzo, Fred, Selective ingestion by *Eremobates marathoni* Muma (Arachnida, Solifugae: Eremobatidae), 296–299
Purshia, 125, 136, 378
glandulosa, 138
tridentata, 138, 377
Pyrgulopsis manantialis, 283
Pyrola
chlorantha, 209–211
rotundifolia, 212
Pyron, Mark, Caryn C. Vaughn, Matthew R. Winston, and Jimmie Pigg, Fish assemblage structure from 20 years of collections in the Kiamichi River, Oklahoma, 336–343

Quadrula
pustulosa, 321–332
quadrula, 321–332
Qualls, Charles W., Jr., see Sinclair, John A., —
Quercus, 132, 470
agrifolia, 170–174
douglasii, 170–174
fusiformis, 183–194
gambelii, 243, 458
glaucoides, 39
lobata, 170–174
macrocarpa, 174
magnolifolia, 39
rubra, 174
sebifera, 39
stellata, 184
Quiscalus
mexicanus, 497
quiscula, 456

Rabe, Michael J., Melissa S. Siders, C. Richard Miller, and Tim K. Snow, Long foraging distance for a spotted bat (*Euderma maculatum*) in northern Arizona, 266–269
Rain-harvesting behavior of a free-ranging desert horned lizard (*Phrynosoma platyrhinos*), Charles C. Peterson, 391–394
Ramírez-Bautista, Aurelio, and Laurie J. Vitt, Reproductive biology of *Urosaurus bicarinatus* (Sauria: Phrynosomatidae) from a tropical dry forest of Mexico, 381–390
Ramotnik, Cynthia A., First record of the round-tailed horned lizard, *Phrynosoma modestum*, in Colorado, 498–499
Ramphocaenus rufiventris, 232
Ramphocelus passerinii, 232
Rana
catesbeiana, 8, 14
clamitans, 8
sphenocephala, 8
Randia rhagocarpa, 276, 277
Ranidae, 8
Ranthus, 81
Rattus rattus, 98
Rautenstrauch, Kurt R., and Thomas P. O'Farrell, Relative abundance of desert tortoises on the Nevada Test Site, 407–411
Recent northern records of the nine-banded armadillo (Dasypodidae) in Nebraska, Patricia W. Freeman and Hugh H. Genoways, 491–495

Reid, J. W., and Suárez-Morales, E., and —
Reithrodontomys, 53–55
fulvescens, 98
megalotis, 148
Relative abundance of desert tortoises on the Nevada Test Site, Kurt R. Rautenstrauch and Thomas P. O'Farrell, 407–411
Reproduction in the Sonoran whipsnake, *Masticophis bilineatus* (Serpentes: Colubridae), Stephen R. Goldberg, 412–415
Reproductive behavior of captive *Tadarida brasiliensis mexicana* (Chiroptera: Molossidae), observations on the, Barbara French and Amanda Lollar, 484–490
Reproductive biology of *Urosaurus bicarinatus* (Sauria: Phrynosomatidae) from a tropical dry forest of Mexico, Aurelio Ramírez-Bautista and Laurie J. Vitt, 381–390
Reptilia, 374–375
Responses of mice to fluctuating habitat quality I. Patterns from a long-term observational study, Michael L. Morrison and Linnea S. Hall, 123–136
Responses of mice to fluctuating habitat quality II. A supplementation experiment, Linnea S. Hall and Michael L. Morrison, 137–146
Resurrection of *Tantilla triseriata* (Reptilia: Serpentes) of Mexico, Hobart M. Smith, David Chiszar, and Frank van Breukelen, 374–375
Rhamnaceae, 42
Rhamnus caroliniana, 190
Rhinichthys osculus, 115, 116, 119, 121
Rhinobatidae, 501–504
Rhinobatos
annulatus, 502
lentiginosus, 501–504
productus, 502
Rhinocheilus lecontei, 443, 445
Rhizoprionodon terraenovae, 502
Rhus
aromatica, 454
microphylla, 166
standleyi, 39
virens, 39
Ribes lacustre, 212
Rissler, Peter H., see Scoppettone, G. Gary, —
Rodent populations after a large wildfire in California chaparral and coastal sage scrub, Dylan W. Schwilk and Jon E. Keeley, 480–483
Rosa
carolina, 435
woodsii, 209, 210
Rosaceae, 376–380
Rosenstock, Steven S., see Wakeling, Brian F., —
Round-tailed horned lizard, *Phrynosoma modestum*, in Colorado, first record of the, Cynthia A. Ramotnik, 498–499
Rubiaceae, 449
Ruellia coccinea, 74, 75
Rumex hymenosephalus, 48
Rutaceae, 42

Sabal texana, 276
Salicornia, 58
Salix, 16
scouleriana, 214
Salpinctes obsoletus, 456
Salsola
iberica, 168, 498
kali, 450
Saltator
atriceps, 232
maximus, 232
Salvadora
grahamiae, 10, 443, 445
hexalepis, 413
Salvia
ballotaeflora, 276
balloteaeflora, 277
canescens, 29, 39
Sanderson, Stewart, see Glenn, Edward, —
Sandlin, Elizabeth A., see Willig, Michael R., —
Sanguisorba, 379
Sapindus saponaria, 276
Sapotaceae, 74
Sauria, 92–95, 381–390
Scaphiopus
couchii, 8, 158, 441, 443, 445, 446
holbrookii, 8
hurterii, 8
Scapholeberis armata, 95
Sceloporus
belli, 20–24
magister, 158
undulatus, 20–24, 445, 446
Schaefferia
cuneifolia, 276, 277
stenophylla, 39
Schiffornis turdinus, 231, 232
Schistocerca, 292
Schizachyrium scoparium, 166
Schizopera tobae, 259
Schwilk, Dylan W., and Jon E. Keeley, Rodent populations after a large wildfire in California chaparral and coastal sage scrub, 480–483
Scincidae, 9
Scirpus, 14
acutus, 224
olneyi, 313, 315, 316, 318
Sciurus carolinensis, 174
Sclerurus guatemalensis, 231
Scoppettone, G. Gary, Peter H. Rissler, M. Bridget Nielsen, and James E. Harvey, The status of *Moapa coriacea* and *Gila seminuda* and status information on other fishes of the Muddy River, Clark County, Nevada, 115–122
Scrophulariaceae, 42
Sedum
stahlii, 39
sthalii, 29
Selasphorus platycercus, 453, 456
Selective ingestion by *Eremobates marathoni* Muma (Arachnida, Solifugae: Eremobatidae), Fred Punzo, 296–299
Sell, Scott M., see Jorgensen, Eric E., —
Senecio triangularis, 208, 212, 213
Senna, 276
Serpentes, 374–375, 412–415
Setaria leucopila, 54, 165, 166, 450
Shaw, Harley G., see Wakeling, Brian F., —
Shepherdia canadensis, 208–210
Shindle, David B., and Michael E. Tewes, Woody species composition of habitats used by ocelots (*Leopardus pardalis*) in the Tamaulipan biotic province, 273–279
Sida, 276
Siders, Melissa S., see Rabe, Michael J., —
Sigara lateralis, 86
Sigmodon, 53–55
hispidus, 98, 99
Simsia calva, 196
Sinclair, John A., Robert L. Lochmiller, Charles W. Qualls, Jr., and Connie C. Cummings, Alopecia associated with postjuvenile molt in a wild population of *Peromyscus maniculatus*, 405–407
Siren intermedia, 7
Sirenidae, 7
Sitta
canadensis, 456
carolinensis, 457
pygmaea, 456
Sittasomus griseicapillus, 231
Skistodiaptomus
oregonensis, 258
reighardi, 96
Sloanea berteriana, 72, 74
Smilax bona-nox, 190
Smith, Christine, Raul Valdez, Jerry L. Holechek, Phillip J. Zwank, and Manuel Cardenas, Diets of native and non-native ungulates in south-central New Mexico, 163–169
Smith, Geoffrey R., see Lemos-Espinal, Julio A., —
Smith, Hobart M., David Chiszar, and Frank van Breukelen, Resurrection of *Tantilla triseriata* (Reptilia: Serpentes) of Mexico, 374–375

Smith, Hobart M., Frank van Breukelen, David L. Auth, and David Chiszar, A subspecies of the Texas blind snake (*Leptotyphlops dulcis*) without supraoculars, 437–440
Smith, Hobart M., see Lemos-Espinal, Julio A., —
Smith, Kimberly G., see Coldren, Mary K., —
Smith, Rosemary J., see Bihr, Keeley J. and —
Snail *Melanoides tuberculata* (Müller, 1774) (Gastropoda: Thiaridae) in the Cuatro Cienegas Basin, and its distribution in the state of Coahuila, Mexico, new records of the, Alberto Contreras-Arquieta, 283–286
Snow, Tim K., see Rabe, Michael J., —
Soil properties of the Kelso Sand Dunes in the Mojave Desert, Simon A. Lei, 47–52
Solanaceae, 42
Solanum
triquetrum, 276, 277
verbascifolium, 276
Solenopsis
geminata, 335
invicta, 97–100, 335
Solierella
hooki, 250
sonorae, 250
vierecki, 250
Solifugae, 291–295, 296–299
Sonora semiannulata, 11
Sosa-Escalante, Javier, see Martínez-Meyer, Enrique, —
Southwestern Association of Naturalists minutes of the business meeting, Albuquerque, New Mexico, Friday, 10 April 1998, the, David L. McNeely, 510–514
Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Albuquerque, New Mexico, Thursday, 9 April 1998, the, David L. McNeely, 505–510
Spatial relationships of *Helianthus paradoxus* (Compositae) and associated salt marsh plants, O. W. Van Auken and J. K. Bush, 313–320
Spea
multiplicata, 443
multiplicatus, 445
Species richness and site fidelity among resident Neotropical birds, John C. Kricher and William E. Davis, Jr., 228–233
Sperm storage resulting in viable offspring in the tree lizard *Urosaurus ornatus* (Sauria: Phrynosomatidae), Gloria A. Villaverde and Naida Zucker, 92–95
Spermophilis
elegans, 106
brunneus, 353, 359
columbianus, 353, 359, 360
lateralis, 352–362
richardsonii, 353, 360
spilosoma, 147, 148, 153, 154, 271
tereticaudus, 158
townsendii, 353, 360
tridecemlineatus, 359
Sphaeralcea, 165, 166, 168
Sphaeropthalma auripilis, 254
Sphecidae, 249–255
Sphex nudus, 249
Spider-mediated flower alteration on seed production in golden-eye phlox, the effect of, James R. Ott, Jim A. Nelson, and Traci Caillouet, 430–436
Spizella
breweri, 456
passerina, 456
Sporobolus, 165, 166
airoides, 54, 55, 313, 315, 316, 318
cryptandrus, 54, 450
flexuosus, 270, 450
texanus, 315, 318
Sporophila
aurita, 232
torqueola, 232
Stem diameter-age relationships of *Tamarix ramosissima* on lake shore and stream sites in southern Nevada, Sandra L. Haigh, 425–429
Stemmadenia, 276
Stenocereus stellatus, 29, 39
Sterculiaceae, 276
Sternotherus
carinatus, 6
odoratus, 6
Stevenson, Matthew T., see Bestelmeyer, Brandon T., and —
Stewart, Carol L., see Gutberlet, Ronald L., Jr., —
Stictotarsus roffii, 80–86
Stipa, 49
Storage on tannin and protein content of cached acorns, effects of, Walter D. Koenig and Stanley H. Faeth, 170–175
Streptopus fassettii, 212
Structural and taxonomic correlates of habitat selection by a Puerto Rican land snail, Michael R. Willig, Elizabeth A. Sandlin, and Michael R. Gannon, 70–79
Sturnella neglecta, 456
Sturnira ludovici, 496
Sturnus vulgaris, 457
Suárez-Morales, E., and J. W. Reid, An undated list of the free-living freshwater copepods (Crustacea) of Mexico, 256–265
Subspecies of the Texas blind snake (*Leptotyphlops dulcis*) without supraoculars, a, Hobart M. Smith, Frank van Breukelen, David L. Auth, and David Chiszar, 437–440
Suidae, 228
Superspecies concept of the lizard *Sceloporus undulatus*: *S. u. belli*, a species, a contribution to the, Julio A. Lemos-Espinal, Hobart M. Smith, Royce E. Ballinger, Geoffrey R. Smith, and David Chiszar, 20–24
Survey for sylvatic plague in the Mexican prairie dog (*Cynomys mexicanus*), Julián Treviño-Villarreal, Ilona M. Berk, Alonso Aguirre, and William E. Grant, 147–154
Survival of mesquite seedlings emerging from cattle and wildlife feces in a semi-arid grassland, B. A. Kramp, R. J. Ansley, and T. R. Tunnell, 300–312
Swertia perennis, 212
Swietenia macrophylla, 229
Sylvilagus, 54, 106, 344, 394
Symploaceae, 74
Symplocos
martinicensis, 74
matinicensis, 75
Synnevrus aequalis, 251
Syntopy between two species of long-eared bats (*Myotis evotis* and *Myotis auriculus*), William L. Gannon, 394–396

Tachytes werneri, 250
Tadarida
brasiliensis, 484–490
braziliensis, 266
Taenia multiceps, 477
Tamarisk, 116
Tamarix ramosissima, 425–429
Tamias
minimus, 125, 139, 352–362
panamintinus, 125
striatus, 353, 359
Tantilla
briggsi, 375
cuniculator, 375
flavilineata, 375
jani, 375
nigriceps, 443, 445
oaxacae, 375
slavensi, 375
striata, 375
taeniata, 374, 375
tayrae, 375
triseriata, 374–375
Taraba major, 231
Taraxacum officinale, 358
Taxonomic status of *Nototriton sanctibarbarus* McCranie and Wilson (Amphibia: Caudata), on the, David B. Wake, 88–91
Teiidae, 9

Tenebrio molitor, 292, 485
Terenotriccus erythrurus, 231
Terrapene ornata, 9, 443, 445
Tessaria sericea, 234
Tetragastris balsamifera, 74, 75
Tettigoniidae, 297
Tewes, Michael E., see Shindle, David B., and —
Thalurania furcata, 231
Thamnophilus doliatus, 231
Thamnophis
marcianus, 11
proximus, 17
sirtalis, 11, 18
Thelypteridaceae, 74
Thelypteris deltoidea, 74
Thermocyclops
inversus, 259, 261
tenuis, 259
Thermopsis divaricarpa, 210, 214
Thiara tuberculata, 283
Thiaridae, 283–286
Thomisidae, 430, 431
Thomomys talpoides, 106, 345
Thrassis fotus, 147, 149, 150, 154
Threnetes ruckeri, 231
Thryothorus maculipectus, 231, 232
Tidestroemia lanuginosa, 450
Tiquila greggii, 197, 200
Todirostrum cinereum, 231
Tolmomyias sulphurescens, 231
Torpedo marmorata, 502
Toxascaris, 477
Toxocara, 477
Tragia, 197, 200
Treviño-Villarreal, Julián, Ilona M. Berk, Alonso Aguirre, and William E. Grant, Survey for sylvatic plague in the Mexican prairie dog (*Cynomys mexicanus*), 147–154
Trichuris vulpes, 477
Tricorythodes dimorphus, 81
Trifolium dasyphyllum, 208, 211, 212
Trimorphodon biscutatus, 413
Trisetum spicatum, 210
Triumfetta, 276
Trixis inula, 276, 277
Troglodytes aedon, 456
Troglodytidae, 449
Trollius
albiflora, 212
albiflorus, 208, 213
Tropiduridae, 6
Tropisternus ellipticus, 80–86
Tropocyclops, 256
extensus, 259
prasinus, 259, 261
Truesdale, Harold D., and Leroy R. McClenaghan, Jr., Population genetic structure of Tecate cypress (Cupressaceae), 363–373
Trypargilum orizabense, 251
Trypoxylon orizabense, 251
Tunnell, T. R., see Kramp, B. A., —
Turdus
grayi, 232
migratorius, 456
Tympanuchus pallidicinctus, 242
Typha, 14, 450
Tyto alba, 53–56, 235

Ulmaceae, 42
Ulmus crassifolia, 190
Uncinaria stenocephala, 477
Unionidae, 321–332
Urera baccifera, 74
Urocyon cinereoargenteus, 469, 478
Urosaurus
bicarinatus, 381–390
graciosus, 387
ornatus, 92–95, 387
Urticaceae, 74
Uta
stansburiana, 9, 158, 445, 446
stejnegeri, 9

Vaccinium, 212, 214
cespitosum, 208, 210, 214
myrtillus, 205, 211, 214
scoparium, 204, 205, 209–212
Valdez, Raul, see Smith, Christine, —
Valiente-Banuet, Alfonso, see Montaña, Carlos, and —
Vallisneria, 118
Van Auken, O. W., and J. K. Bush, Spatial relationships of *Helianthus paradoxus* (Compositae) and associated salt marsh plants, 313–320
Van Auken, O. W., see Jurena, P. N., and —
van Breukelen, Frank, see Smith, Hobart M., —
Vaughn, Caryn C., see Pyron, Mark, —
Velasco, Josefa, and Andres Millan, Insect dispersal in a drying desert stream: effects of temperature and water loss, 80–87
Veniliornis fumigatus, 231
Vermivora virginiae, 453, 456
Vespertilionidae, 495–496
Villaseñor, J. Fernando, and Laura E. Villaseñor, Records of pelagic birds from coastal Michoacan, 402–404
Villaseñor, Laura E., see Villaseñor, J. Fernando, and —
Villaverde, Gloria A., and Naida Zucker, Sperm storage resulting in viable offspring in the tree lizard *Urosaurus ornatus* (Sauria: Phrynosomatidae), 92–95
Vinson, S. B., see Ferris, David K., —
Viperidae, 11
Vireo
gilvus, 456
plumbeus, 456
Virginia striatula, 11
Vitex gaumeri, 101
Vitt, Laurie J., see Ramírez-Bautista, Aurelio, and —
Vulpes
macrotis, 147, 153, 476
velox, 476–479
vulpes, 478

Wake, David B., On the taxonomic status of *Nototriton sanctibarbarus* McCranie and Wilson (Amphibia: Caudata), 88–91
Wakeling, Brian F., Steven S. Rosenstock, and Harley G. Shaw, Forest stand characteristics of successful and unsuccessful Merriam's turkey nest sites in north-central Arizona, 242–248
Washingtonia filifera, 116
Waugh, Jody, see Glenn, Edward, —
Whitford, W. G., see Milton, Suzanne J., —
Willig, Michael R., Elizabeth A. Sandlin, and Michael R. Gannon, Structural and taxonomic correlates of habitat selection by a Puerto Rican land snail, 70–79
Wilsonia pusilla, 158, 456
Winston, Matthew R., see Pyron, Mark, —
Woody plant recruitment under canopies of two acacias in a southwestern Texas shrubland, P. N. Jurena and O. W. Van Auken, 195–203
Woody species composition of habitats used by ocelots (*Leopardus pardalis*) in the Tamaulipan biotic province, David B. Shindle and Michael E. Tewes, 273–279

Xenops minutus, 231
Xiphorhynchus flavigaster, 231
Xylosoma flexuosum, 276

Yersinia pestis, 147–154
Yucca, 498
brevifolia, 48, 377, 397
elata, 165, 166, 270, 450
periculosa, 39
rupicola, 190
treculeana, 276, 277

Zanthoxylum fagara, 42, 275–277
Zenaida macroura, 456
Zethus, 249
Zexmenia
brevifolia, 200
gnaphalioides, 29, 39
Ziziphus obtusifolia, 275–277
Zonotrichia leucophrys, 457
Zucker, Naida, see Villaverde, Gloria A., and —
Zwank, Phillip J., see Smith, Christine, —